Web Images Video News Maps Gmail more v

Sign in

Google

stitch large image sensor decoder section pix Search Advanced Search Preferences

Web Results 11 - 20 of about 183 for stitch large image sensor decoder section pixel section different pitch

#### <u>lexicon.txt</u> — Oberlin College Computer Science

... retentively retentiveness reticent **reticle** reticles reticular reticulate .... secretively secretly secrets sect sectarian **section** sectional sectioned ... occs.cs.oberlin.edu/classes/fall2004spring2005/cs151/lexicon.txt - 494k - Cached - Similar pages

#### <u>2: gabcdefh 3: ijklmnop 4: . qrstuvwxyz 22 ...</u>

... 4224333: redskin schwinn section 4224334: seasons reasons rebuilt scarily whatnot ... scribes tariffs thunder resides 4243232: reticle 4243234: resigns ... www.inference.phy.cam.ac.uk/iaj21/Docs/T3dictionary-general - 724k - Cached - Similar pages

#### A a AA AAA aardvark aardwolf Aaron aasvogel AAU AB ab aba abaca ...

... retia retiarius reticence **reticle** reticula reticulate reticule reticulum .... sect sectarian sectary **section** sectional sector sectorial secular secund ... www.cs.wichita.edu/~ge/cs655/assignments/dict - 349k - <u>Cached</u> - <u>Similar pages</u>

#### a: act Acts ad add adds ads aft ah Al all alms Alps am an and ...

... Reinhold Remington resistor resistors Rheinholdt **section** sections senior ..... pitched pitcher pitchers **pitches** pithed pithes pitted **pixel** plied ... www.hakank.org/vowels\_away/eng\_consonants\_all.html - 394k - Cached - Similar pages

#### <u>Tiro e Queda - Colunistas</u>

alcohol detox facility good very year dear zoo by rod campbell two hyde park square declarations **section** flight grade six worksheets daysprings ecard dress ... proteus.limeira.com.br/tiroequeda/forum.php?nnot=1804 - Similar pages

#### plebeian extravagant heretics promises interrogation logics ...

... dictate expanses harvest solstice **stitch** refuter notifier pinches Vergil ..... lover Bamberger **section** haunches import constable outdoor photographing ... cs.binghamton.edu/~sgreene/cs240-2000m/labs/words.txt - 401k - <u>Cached</u> - <u>Similar pages</u>

#### abandon abandoned abandoning abandons abbreviated abbreviates ...

... retentions retentively **reticle** reticles reticular reticulate reticulated .... secretly sect sectarian **section** sectionalizing sectioned sectioning ... www.sir-chaos.com/downloads/Hackahoo\_junk.txt - 323k - <u>Cached</u> - <u>Similar pages</u>

#### a aaraaf aarhus aaron ab ababa aback abaft abandon abandoned ...

... retentively retentiveness **reticle** reticles reticular reticulate .... sect sectarian sectes **section** sectional sectioned sectioning sections sector ... www.wisdom.weizmann.ac.il/~albi/cryptanalysis/smalldic - 477k - Cached - Similar pages

#### Zope Source Code Repository - markup - Zope: lovely.tag/trunk/src ...

... rethink reticence reticent retick **reticle** reticular reticule reticulum .... secretion secretive secretly sect sectarian **section** sectional sectioned ... svn.zope.org/lovely.tag/trunk/src/lovely/tag/performance/40000.words? rev=70651&view=markup - 345k - Cached - Similar pages

zymurgy AND-OR zymotechnical AND-circuit zymosis AND/OR zymophore ...

Web Images Video News Maps Gmail more v

Sign in

Google

decoder pixel pitch ratio image sensor reticle

Search

Advanced Search Preferences

Web

Results 21 - 30 of about 326 for <u>decoder pixel pitch ratio image sensor reticle</u>. (0.15 seconds)

#### Patents by Date - PatentStorm - Jan. 23, 2001

A first part includes a single-stage trellis **decoder** which estimates the value ... performing a first exposure on the resist using a **reticle** with a certain ... www.patentstorm.us/patents-by-date/2001/0123-22.html - 50k - <u>Cached</u> - <u>Similar pages</u>

#### [PDF] Untitled

File Format: PDF/Adobe Acrobat - <u>View as HTML</u> spacecraft **pitch** and roll solar array paddle axes. Six **sensors** (2 for .... of each **pixel** is collected by the ground system and reconstructed into an **image**. ... godot.u-strasbg.fr/ines/docs/report.pdf - Similar pages

#### F. Chau & Associates, LLC Patents

20060132633 - Cmos **image sensors** having **pixel** arrays with uniform light sensitivity ..... 20050140952 - Method of exposing a wafer to a light, and **reticle**, ... www.freshpatents.com/F-Chau-Associates-LLC-cndirf.php - 189k - Cached - Similar pages

#### DoD SBIR FY98.2 - SOLICITATION SELECTIONS w/ ABSTRACTS

Digital at the **pixel** allows lower switching voltage over analog, ..... addition to magnetic heading, the system also measures the **pitch** of the **sensor** head. ... www.dodsbir.net/selections/alld982.htm - 658k - Cached - Similar pages

#### Deleted 4050 patents

... east, dividable, fast-switching, balls, yield, dividing, **reticle**, cnc, tanks, ... printable, precharge, configurations, **pitch**, nonuniform, **image-**wise, ... lists.ffii.org/pipermail/gauss-parl/2006-June/000596.html - 54k - <u>Cached</u> - <u>Similar pages</u>

#### [PDF] Trends and New Developments in Gaseous Detectors

File Format: PDF/Adobe Acrobat - <u>View as HTML</u> is a hybrid of front-end chips bump bonded to the **pixel sensor**. ..... More recently, it was demonstrated that **reticle** size **sensors**, made of ~ 1 mil- ... vci.oeaw.ac.at/2004/book\_1.5.pdf - <u>Similar pages</u>

# 0018-8646/2001/\$3.00 (C) 2001 IBM Recent IBM patents The following ... .... and J. L. Speidell Static resistant **reticle** 6180292 R. E. Acosta, ...... and P. Wong Method of forming a complementary active **pixel sensor** cell 6194736 ... www.research.ibm.com/journal/rd/455/patents.txt - 166k - Cached - Similar pages

### [PDF] Security & Surveillance Nexus System User Guide

File Format: PDF/Adobe Acrobat - View as HTML

**Reticle**. Simply click on any of the tiles of the panorama to cue the ...... **Pixel pitch** refers to the center-to-center distance between detector elements. ... www.ifara.net/downloads/Nexus%20System%20user%20guide%20428-0004-00-10REV110.pdf - Similar pages

#### [PDF] CANON TECHNOLOGY HIGHLIGHTS

File Format: PDF/Adobe Acrobat
Compact digital cameras replace film with an **image sensor** that converts light ...... Mirror projection aligners expose ultrafine **pixel** patterns onto glass ...
www.firewalldown.net/nph-proxyfirewalldown.cgi/

Web Images Video News Maps Gmail more

Sign in

Google

Advanced Search stitch large image sensor decoder section pix | Search

Web Results 1 - 10 of about 185 for stitch large image sensor decoder section pixel section different pitch !

Layout technique for address signal lines in decoders including ... An image sensor comprising: a pixel section having a first pitch, and a decoder ... liens used to stitch together the component blocks of the decoder block. ... www.freepatentsonline.com/20040184341.html - 30k - Cached - Similar pages

Layout technique for address signal lines in decoders including ... In a sensor including the decoder block and a pixel section, the features in ... together to form row and/or column decoders for use in large image sensors. ... www.freepatentsonline.com/6795367.html - 30k - Cached - Similar pages [ More results from www.freepatentsonline.com ]

#### large sorted txt

... retch retention retentions retentive retentively retentiveness reticle .... secretively secretly secrets sect sectarian section sectional sectioned ... pragdave.pragprog.com/data/wordlist.txt - 401k - Cached - Similar pages

#### Fun Devices

Check out the "Audio Accessories" section of this website for information ...... The FinePix S7000 processes even large image files with remarkable speed, ... www.fundevices.com/rss - 977k - Cached - Similar pages

<u>1 Aarhus 2 Aaron 3 Ababa 4 aback 5 abaft 6 abandon 7 abandoned 8 ...</u> ... 34722 retentively 34723 retentiveness 34724 reticle 34725 reticles 34726 ..... 36447 sect 36448 sectarian 36449 section 36450 sectional 36451 sectioned ... www.dti.unimi.it/~decapita/parole\_numeri.txt - 711k - Cached - Similar pages

## splunk/bin/twistd 0000755 0000145 0000001 00000001431 10565003577 ...

File Format: Unrecognized

Section 4.3 of the user's manual describes the info a useful bug report should ..... retch retention retentions retentive retentively retentiveness reticle ... www.splunk.com/.../solaris/splunk-2,2,3-18173-SunOS-i386. tar.Z&name=solaris installer&d=progeneric - Similar pages

#### ACM ANSI ASAP ASCII ATM's Achilles Ada Ada's Afghanistan ...

File Format: Unrecognized - View as HTML

... rethreading reticence reticent reticently reticle reticle's reticles .... secretiveness secretly secrets sect sect's section sectional sectionally ...

ftp.cerias.purdue.edu/pub/tools/unix/sysutils/ppgen/en.gz - Similar pages

#### a's Aaron ABA Ababa aback abaft abalone abandon abandoned ...

File Format: Unrecognized - View as HTML

... retentively retentiveness reticent reticle reticle's reticles reticular .... sect's sectarian section sectional sectioned sectioning sections sector ... ftp.cerias.purdue.edu/pub/dict/local/english/freja.diku.dk.Z - Similar pages [ More results from ftp.cerias.purdue.edu ]

#### ACM ANSI ASAP ASCII Achilles Ada Afghanistan Africa African ...

... reticent reticently reticle reticles reticular reticulate reticulated .... secretly secrets sect section sectional sectionally sectioned sectioning ...

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	("5336879").PN.	US-PGPUB; USPAT	OR	OFF	2007/06/14 13:54
L2	1	("5777672").PN.	US-PGPUB; USPAT	OR	OFF	2007/06/14 13:54
S1	7	image near3 sensor and reticle and stitch\$4 same decoder same block	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 14:51
<b>S2</b>	7	image near3 sensor and reticle and stitch\$4 same decoder	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 14:51
S3	5	reticle same stitch\$4 same block same decoder	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 14:54
S4	319	image with sensor same decod\$4 with block	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 14:55
S5	6	(image with sensor same decod\$4 with block) same stitch\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 14:57
S6	8470	layout address signal line image sensor	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND .	ON	2007/06/13 14:57
S7	578	layout address signal line image sensor stitch\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/13 14:58

6/14/07 2:07:28 PM C:\Documents and Settings\SWhitmore\My Documents\EAST\Workspaces\10760480\_php.wsp Page 1

S8	391	layout address signal line image sensor stitch\$4 pitch	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/13 15:02
S9	353	layout address signal line image sensor stitch\$4 pitch decoder row col\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/13 15:04
S10	22	reticle same stitch\$4 with block	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 15:33
S11	4	(("5301162") or ("4622670") or ("4910162") or ("6690076")).PN.	US-PGPUB; USPAT	OR	OFF	2007/06/13 15:18
S12	6	large with sensor same decoder with block	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 15:24
S13	12	image sensor pixel pitch decoder pitch	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/06/13 15:27
S14	24	image sensor decoder pitch	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/06/13 15:27
S15	12	S14 not S13	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/06/13 15:30
S16	14	((image or pixel) with sensor) same decoder same pitch	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/06/13 15:33

	T		·	1	Т.	· · · · · · · · · · · · · · · · · · ·
S17	3	reticle same stitch\$4 with block same pitch	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 15:33
S18	12	image same sensor same pixel same decoder same pitch	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 15:57
S19	3	pixel decoder pitch ratio sensor	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/06/13 15:57
S20	5518890	decoder address signal pitch	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 15:58
S21	405	decoder address signal pitch	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/06/13 15:58
S22	4	decoder address signal pitch pixel'	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/06/13 15:58
S23		decoder address signal pitch pixel	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/06/13 16:05
S24	4	decoder pitch different pixel	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/06/13 16:06

	,			т		
S25	192193	image with sensor	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 16:06
S26	3995	S25 and (pixel same decod\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 16:07
S27	36	S25 and ((pixel same decod\$4) same pitch)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 16:23
S28	14	((pixel same decod\$4) same smaller same pitch)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 16:25
S29	12	((pixel same decod\$4) same less same pitch)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 16:27
S30	9	S29 not S28	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2007/06/13 16:25
S31	183	((pixel same decod\$4) same less same spac\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 16:29
S32	1798	decoder with pitch	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/06/13 16:29

S33	13	(decoder with pitch) same image with sensor	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 16:32
S34	15	(decoder with (signal or trace or conduct\$4 or wir\$4) with (spac\$4 or pitch)) same image with sensor	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 16:33
S35	16	(decoder with (signal or trace or conduct\$4 or wir\$4 or line) with (spac\$4 or pitch)) same image with sensor	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 16:37
S36	9	(decoder with (signal or trace or conduct\$4 or wir\$4 or line) with (spacing or pitch or width)) same image with sensor	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 16:38
S37	4	S36 not S35	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 16:38
S38	699114	decoder with pitch or spacing or width and image near3 sensor and pixel	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 16:39
S39	172	decoder with (pitch or spacing or width) and image near3 sensor and pixel	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 09:29
S40	556	(decoder and pixel) with (pitch or spacing or width)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 09:30

				,		
S41	109	S40 and image near3 sensor	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 09:43
S42	3575	(250/208.1).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/06/14 09:43
S43	2534	(250/208.1).CCLS.	USPAT	OR	OFF	2007/06/14 09:43
S44	1041	(250/208.1).CCLS.	US-PGPUB	OR	OFF	2007/06/14 09:43
S45	599	S42 and pitch	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 11:53
S46	8911	(image or pixel) with (array or sensor) same (decod\$4 or drive or row or col or address) same (pitch or spac\$3 or width)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 11:56
S47	239317	("250"/\$.ccls. or "348"/\$.ccls.)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 11:56
S48	2129	S46 and S47	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 11:56
S49	6486	(image or pixel) with (array or sensor) same (decod\$4 or drive or row or col or address) same (pitch or spac\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 11:57
S50	3330	(image or pixel) with (array or sensor) same ((decod\$4 or drive or row or col or address) with (pitch or spac\$3))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 11:57

S51	835	S47 and S50	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 11:57
S52	775	S51 not S45	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 13:53

6/14/07 2:07:28 PM

Page 7

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	. 23	(("4910162") or ("5195053") or ("5295116") or ("5301162") or ("5323357") or ("5621690") or ("6204792") or ("5583822") or ("5446859") or ("4622670") or ("5982680") or ("6496400") or ("6314042") or ("5978277") or ("5553026") or ("6487315") or ("6424589") or ("5220518") or ("6366526") or ("6236683") or ("6055207") or ("6026021") or ("5297085")).PN.	US-PGPUB; USPAT	OR	OFF	2007/06/14 14:24